

## United States Patent and Trademark Office

cur

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/520,818	07/25/2005	Mark E Froggatt	3926-19	2864
	7590 10/05/200 NDERHYE, PC	EXAMINER		
901 NORTH G	LEBE ROAD, 11TH F	CONNOLLY, PATRICK J		
ARLINGTON, VA 22203		ART UNIT	PAPER NUMBER	
			2877	
			MAIL DATE	DELIVERY MODE
			10/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)
Office Action Summary		10/520,818	FROGGATT ET AL.
		Examiner	Art Unit
		Patrick J. Connolly	2877
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	orrespondence address
WHI( - Exte after - If NO - Failt Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAMPS on a solid part of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period varieto reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from . cause the application to become ABANDONE	N. hely filed the mailing date of this communication.
Status			
2a) <u></u>	Responsive to communication(s) filed on <u>25<sup>th</sup> c</u> This action is <b>FINAL</b> . 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final.	
Disposit	ion of Claims		•
5) 6) 7)	Claim(s) 1-47 is/are pending in the application.  4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed.  Claim(s) is/are rejected.  Claim(s) is/are objected to.  Claim(s) 1-47 are subject to restriction and/or expressions.	wn from consideration.	
Applicat	ion Papers		
9) 10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine	epted or b) objected to by the for drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
<b>Priority</b>	under 35 U.S.C. § 119	ı	
a) * (	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority document:  2. Certified copies of the priority document:  3. Copies of the certified copies of the priority application from the International Bureau  See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachmer  1) Notice	nus) ce of References Cited (PTO-892)	4) Interview Summary	(PTO-413)
2) Notice 3) Information	ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate

Application/Control Number: 10/520,818

Art Unit: 2877

## **DETAILED ACTION**

## Election/Restrictions

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

A method and system for input optical signal analysis in the time domain, generally corresponding to Figures 8 and 11, and claims 1-32, 46 and 47.

A method and system for generating a calibration matrix for a detector block, generally corresponding to Figure 13, and claims 33-45.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

The claims are deemed to correspond to the species listed above in the following manner:

Application/Control Number: 10/520,818

Art Unit: 2877

See the description of the species above.

The following claim(s) are generic: None.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The calibration matrix for the detector blocks does not require analysis in the time domain for input signal analysis.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the

Art Unit: 2877

application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick J. Connolly whose telephone number is 571.272.2412. The examiner can normally be reached on 9:00 am - 7:00 pm Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on 571.272.2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Patrick Connolly

09.28.2009